


AVERAGES

	CLUB SPEED [mph]	ATTACK ANG. [deg]	CLUB PATH [deg]	FACE TO PATH [deg]	SMASH FAC.	SPIN RATE [rpm]	CARRY [yds]	LOW POINT DISTANCE [in]
Fred Blackford, Driver, Premium	98.9	0.0	-0.5	0.7	1.42	3690	175.6	0.0B
Fred Blackford, 7Iron, Premium	80.1	-2.1	1.3	-2.5	1.24	5236	116.9	1.9A



Shot Details

Fred Blackford | Dec 13, 2017

02

Fred Blackford, Driver, Premium, Aug 19, 2017

SHOT NO	CLUB SPEED	ATTACK ANG.	CLUB PATH	FACE TO PATH	SMASH FAC.	SPIN RATE	CARRY	LOW POINT DISTANCE
	[mph]	[deg]	[deg]	[deg]		[rpm]	[yds]	[in]
1	98.5	-2.1	1.4	-2.5	1.43	3555	192.3	2.5A
2	98.0	-0.2	-0.8	2.2	1.39	4749	179.2	0.2A
3	92.0	-0.3	2.8	-2.0	1.45	2890	180.8	0.4A
4	95.9	-0.3	-0.1	5.5	1.42	3869	182.9	0.4A
5	97.2	-	-	-	1.39	4778	170.3	-
6	98.9	1.9	0.6	-0.9	1.40	3276	173.6	2.2B
7	100.1	-1.0	-2.5	9.4	1.41	5881	174.5	1.2A
8	97.5	-1.8	-1.8	3.7	1.46	3035	202.6	2.2A
9	98.8	-2.4	-2.1	3.5	1.46	4196	198.9	3.0A
10	102.4	1.5	0.1	1.4	1.39	2686	142.5	2.0B
11	99.8	2.3	0.0	-1.7	1.40	2942	152.7	2.6B
12	99.0	-	-	-	1.40	4525	190.2	-
13	102.8	0.7	-0.9	-0.8	1.40	3423	187.3	0.9B
14	99.3	-	-	-	1.41	2901	131.4	-
15	99.6	3.0	-1.4	1.3	1.37	3279	122.9	3.6B
16	100.1	0.0	-1.5	-7.9	1.36	2992	150.5	0.0B
17	98.7	-0.3	-0.9	1.6	1.48	4092	207.1	0.4A
18	101.8	-0.6	-1.0	-2.9	1.46	3356	221.3	0.7A
Average	98.9	0.0	-0.5	0.7	1.42	3690	175.6	0.0B
Consistency	2.4	1.5	1.3	4.0	0.03	834	25.9	1.9A

Shot Details

Fred Blackford | Dec 13, 2017

03

Fred Blackford, 7Iron, Premium, Aug 08, 2017

SHOT NO	CLUB SPEED [mph]	ATTACK ANG. [deg]	CLUB PATH [deg]	FACE TO PATH [deg]	SMASH FAC.	SPIN RATE [rpm]	CARRY [yds]	LOW POINT DISTANCE [in]
1	-	-	-	-	-	4990	74.4	-
2	81.8	-3.8	2.5	-9.0	1.37	6196	149.3	3.3A
3	78.2	-	-	-	0.91	2959	29.1	-
4	78.3	-2.9	0.1	12.1	1.18	6900	108.3	2.5A
5	79.4	-2.2	0.2	-1.3	1.33	6312	138.5	2.1A
6	80.4	-1.6	2.0	1.3	1.29	7136	131.9	1.4A
7	79.8	-1.3	4.2	-5.1	1.26	6640	129.4	1.1A
8	80.3	-	-	-	1.19	7803	84.6	-
9	74.5	-	-	-	1.22	7507	111.4	-
10	79.1	-	-	-	1.27	4312	141.5	-
11	90.8	-	-	-	1.17	-	157.8	-
12	80.5	-3.9	-1.0	1.7	1.29	2530	150.3	3.6A
13	78.7	3.3	1.2	-8.3	1.35	2409	81.4	2.6B
14	79.3	-1.8	0.6	-5.5	1.31	3606	148.2	1.5A
15	80.1	-4.4	1.8	-8.2	1.27	4008	118.2	3.7A
Average	80.1	-2.1	1.3	-2.5	1.24	5236	116.9	1.9A
Consistency	3.4	2.2	1.5	6.4	0.11	1846	34.8	1.8A